
Briefing


as a tool

of culture

Tim Horeczko, MD, MSCR, FACEP, FAAP









Shared Mental Model



Learning

Team-building

"Work-as-done"

Pro

Desire for critical events (Twigg, 2020) Safe (Rose, 2018)

Led effectively by senior nurses with script (Rose, 2018)

Con

Infrequent (Arriaga, 2020)

Time out and "production pressure" (Arriaga, 2020)


Improved team, individual performance 20-25% (Tannenbaum, 2013)

Improved knowledge, skills in the ICU (Couper, 2013)

Improved knowledge, skills, behavior; effects on patients (Cheng, 2014)

Improved surgical safety, resuscitation, intubation

(Twigg, 2020)





RADIO CALL

6-month-old

Not breathing


CPR in progress

OBJECTIVES

Assemble Team

Introductions

Assign Tasks





ON ARRIVAL

2-month-old

Oxygen Mask

CPR in progress





HPI

SUCCINYLCHOLINE(ROCURONIUM(1MG/ ETOMIDATE(0 3MG/F VERSEO(0 1MG/KG,F KETAMINE(1-2MG/K FENTANYL(1-2MICR

ATROPINE(0 02MG/I EPINEPHRINE 0 1MG/ EPINEPHRINE 1MG/ ADENOSINE(0 1-0 2 AMIODARONE(5MG/ LIDOCAINE(1MG/KG

ATIVAN(0 05-0 1MG ERSED(IN 0 2MG/K FOSPHENYTOIN(15-VALPROIC ACID 20 (MAY GIVE ANOTHE KEPPRA(20-40MG/F PHENOBARBITAL(10 MANNITOL(1G/KG) D10(5CC/KG) D25(2CC/KG) 3%NS(2-3CC/KG) HPI: AGE: WEIGHT: BROSELOW COLOR: ETT: INUBATION MEDS: SUCCINYLCHOLINE(1-2MG/KG) ROCURONIUM(1MG/KG) ETOMIDATE(0.3MG/KG) VERSED(0.1MG/KG;MAX 2MG) KETAMINE(1-2MG/KG) FENTANYL(1-2MICROGR/KG;MAX 100MICROGRAMS)

MEDICATION BOARD


BLADE:

CARDIAC MEDICATIONS:

ATROPINE(0.02MG/KG) EPINEPHRINE 0.1MG/ML(0.01MG/KG;MAX 1MG) EPINEPHRINE 1MG/1ML(0.1MG/KG IN ETT;MAX 2-2.5MG IN ETT) ADENOSINE(0.1-0.2MG/KG;MAX 6MG-12MG) AMIODARONE(5MG/KG;300MG) LIDOCAINE(1MG/KG;MAX 100MG)


AMS/SEIZURE MEDICATIONS:


ATIVAN(0.05–0.1MG/KG;MAX 4MG) VERSED(IN 0.2MG/KG;IV/IM 0.1MG/KG;MAX 10MG) FOSPHENYTOIN(15–20PE/KG) OR PHENYTOIN(20MG/KG) VALPROIC ACID 20–40MG/KG(MAX 3 GRAMS) (MAY GIVE ANOTHER 20MG/KG IF STILL SEIZING) KEPPRA(20–40MG/KG) PHENOBARBITAL(10–20MG/KG) MANNITOL(1G/KG) D10(5CC/KG) D25(2CC/KG) 3%NS(2–3CC/KG) BLADE













Move on?

Now what?

Back to work?

PEDIATRIC TRAUMA



See the inpatient URI?

and the second sec

WE NEED:

Connection





Clarity

and the second second second second second





Summarize the case

Things that went well

Opportunities to improve Points of action



Target Analysis Learning Points **Key Actions**





Setting the Scene

Reactions

Description

Analysis Application





STOP for 5 Minutes

Thank the full team and ask "Is everyone ok?" If YES then continue as below and STATE FIRST: • We are going to have a 5 minute team debrief • Purpose is to improve quality of patient care; it is not a blaming session • Your participation is welcomed but not compulsory • All information discussed during this debrief is confidential

> S Summarise the case

Things that went well

Opportunities to improve

DINBURG EMERGENC

SCSC

IEDICINE

Points to action and responsibilities

Current Case Criteria;

Ρ

For every case please complete a Hot Debrief Form. These are located

Completed Hot Debrief Forms are to be collated and placed:

If you have any questions or feedback please contact:







"Guide on the Side"

"Sage on the Stage"



KOLB'S EXPERIENTIAL LEARNING

Concrete Experience


Active Experimentation Reflective Observation




SCHÖN'S REFLECTIVE PRACTICE

Reflection-*in*-action

Reflection-on-action



ERICSSON'S DELIBERATE PRACTICE



START SIMPLY

Choose Technique

Invite To Participate

Ask for Feeback



"How is everyone?"

"Can someone summarize what just happened?"

"What went well?"

"What could go better?"

"Would anyone like to share what he or she learned from today?"

Pearls



Don't go it

alone.

Meisje met de parel, Johannes Vermeer, 1665



Right time,

right place.

Nighthawks, Edward Hopper, 1942



Invite, don't require

Primavera, Sandro Botticelli, c 1470s



Acknowlege.

L'Angélus, Jean-François Millet, 1859



Know

when.

La Femme à l'ombrelle, Claude Monet, 1875







Focus.

La Scapagliata, Leonardo da Vinci, c 1506





Avoid

individual

assessments.

El tres de mayo de 1808 en Madrid, Francisco Goya, 1814





Composition with Red, Blue and Yellow, Piet Mondrian, 1930



"Culture eats

strategy


for breakfast"

- Peter Drucker




in and transformation

lunch



WE NEED:

Connection





START SIMPLY

Choose Technique

Invite To Participate

Ask for Feeback

"Culture eats strategy for breakfast"

- Peter Drucker



Selected References

Anders Ericsson K et al. Deliberate Practice and Proposed Limits on the Effects of Practice on the Acquisition of Expert Performance: Why the Original Definition Matters and Recommendations for Future Research. Front. Psychol., 25 October 2019

Arriaga AF et al. Real-Time Debriefing After Critical Events: Exploring the Gap Between Principle and Reality. Anesthesiol Clin. 2020;38(4):801-20. Medicine Australasia, 33: 778-779.

Coggins A et al. Twelve tips for facilitating and implementing clinical debriefing programmes. Med Teach. 2020

Coggins A et al. Interdisciplinary clinical debriefing in the emergency department: an observational study of learning topics and outcomes. BMC Emerg Med. 2020 Oct 7;20(1):79.

Kolbe M, Grande B, Lehmann-Willenbrock N, et alHelping healthcare teams to debrief effectively: associations of debriefers' actions and participants' reflections during team debriefingsBMJ Quality & Safety 2023;32:160-172.

Selected References

Mann K, Gordon J, MacLeod A. Reflection and reflective practice in health professions education: a systematic review. Adv Health Sci Educ Theory Pract. 2009;14(4):595-621.

Rose S, Bisson J, Churchill R, Wessely S. Psychological debriefing for preventing post traumatic stress disorder (PTSD). Cochrane Database Syst Rev. 2002;(2):CD000560.

Tannenbaum SI et al. Do Team and Individual Debriefs Enhance Performance? A Meta-Analysis. Hum Factors. 2013;55(1):231–45.

Twigg S. Clinical event debriefing: a review of approaches and objectives. Curr Opin Pediatr. 2020 Jun;32(3):337-342

Walker CA et al. STOP5: a hot debrief model for resuscitation cases in the emergency department. Clin Exp Emerg Med. 2020;7(4):259-266.